## NSN 5985-00-679-9486

Variable Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-679-9486

Application Design:
Audio
Body Style:
Cylindrical w/side terminals
Overall Length:
2.723 inches
Overall Width:
1.516 inches
Body Diameter:
1.156 inches
Shaft Diameter:
0.250 inches
Bushing Length:
0.375 inches
Shaft Length:
0.812 inches
Body Length:
1.906 inches
Schematic Diagram Designator:
Balanced "h"
Operating Tempurature Range:
-55.0/+85.0 degrees celsius
Power Rating:
2.0 watts average
Mounting Facility Screw Thread Series Designator:
Unef
Overall Attenuation Range In Decibels:
+0.0/+56.0
Attenuation Variation Method:
Continuous
Mounting Facility Type And Quantity:
1 threaded bushing
Frequency Range:
Between 0.000 kilohertz and 1.000 kilohertz
Overall Attenuation Accuracy In Decibels:
-7.00/+7.00
Mounting Thread Quantity:
32 per inch
Adjustment Device Type And Quantity:
1 shaft
Shaft Type:
Round, slotted

## NSN 5985-00-679-9486

Variable Attenuator - Page 2 of 2



## **Mounting Facility Screw Thread Diameter:**

0.375 inches

Impedance Rating In Ohms:

600.0 input-output

**Terminal Type And Quantity:** 

9 tab, solder lug

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A223a0