## NSN 5985-00-688-6799

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-688-6799

<b>~</b>	<b>^</b>		O1	
L.ross	Sect	าดทลเ	Shape:	

Internal, rectangular external, rectangular

**Tubing Wall Construction Style:** 

Seamless single tubing segment

**Tubing Twist Type:** 

Straight twist single tubing segment

**Tubing Twist Angle In Deg:** 

15.0 single tubing segment

Flange Quantity:

2

Flange Inside Width:

6.880 inches all flanges

Flange Inside Height:

3.630 inches all flanges

Flange Outside Width:

8.688 inches all flanges

Flange Outside Height:

5.438 inches all flanges

Flange Depth:

1.000 inches all flanges

Flange Connecting Hole Diameter:

0.330 inches second flange all connection facilities

**Voltage Standing Wave Ratio:** 

1.10

**Waveguide Outside Width:** 

6.660 inches

Waveguide Inside Width:

6.500 inches

**Waveguide Inside Height:** 

3.250 inches

**Waveguide Outside Height:** 

3.410 inches

Flange Connecting Facility And Quantity:

12 unthreaded hole second flange all connection facilities

Flange Style:

Contact type all flanges

Waveguide Length:

4.000 feet

**Waveguide Center To Center Distance:** 

8.000 inches

Flexibility:

Flexible single tubing segment

## NSN 5985-00-688-6799

Waveguide Assembly - Page 2 of 2



Mater	ial:
Motal	nor

Metal nonferrous/d single tubing segment

**Precious Material And Location:** 

Flange and tubing and coupling surfaces silver

**Precious Material:** 

Silver

**Surface Treatment:** 

Silver single tubing segment inside surfaces

Style Designator:

Offset bend type

Shelf Life:

N/a

**Unit Of Measure:** 

Demilitarization:

Yes - demil/mli

Fiig:

A073a0