NSN 5985-00-688-6799

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-688-6799

Cross Sectional Shape:

Internal, rectangular external, rectangular

Tubing Wall Construction Style:

Seamless single tubing segment

Tubing Twist Type:

Straight twist single tubing segment

Tubing Twist Angle In Deg:

15.0 single tubing segment

Flange Quantity:

2

Flange Inside Width:

6.880 inches all flanges

Flange Inside Height:

3.630 inches all flanges

Flange Outside Width:

8.688 inches all flanges

Flange Outside Height:

5.438 inches all flanges

Flange Depth:

1.000 inches all flanges

Flange Connecting Hole Diameter:

0.330 inches second flange all connection facilities

Voltage Standing Wave Ratio:

1.10

Waveguide Outside Width:

6.660 inches

Waveguide Inside Width:

6.500 inches

Waveguide Inside Height:

3.250 inches

Waveguide Outside Height:

3.410 inches

Flange Connecting Facility And Quantity:

12 unthreaded hole second flange all connection facilities

Flange Style:

Contact type all flanges

Waveguide Length:

4.000 feet

Waveguide Center To Center Distance:

8.000 inches

Flexibility:

Flexible single tubing segment

NSN 5985-00-688-6799

Waveguide Assembly - Page 2 of 2



Material:

Metal nonferrous/d single tubing segment

Precious Material And Location:

Flange and tubing and coupling surfaces silver

Precious Material:

Silver

Surface Treatment:

Silver single tubing segment inside surfaces

Style Designator:

Offset bend type

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

Yes - demil/mli

Fiig:

A073a0