NSN 5985-00-714-9524

Variable Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-714-9524

Application Design:
Transmission line
Body Style:
Coaxial type
Overall Length:
7.000 inches
Overall Width:
3.625 inches
Voltage Standing Wave Ratio:
1.25
Coaxial Connector Series Designation:
Bnc
Mounting Facility Screw Thread Series Designator:
Unf
Overall Attenuation Range In Decibels:
+0.0/+80.0
Attenuation Variation Method:
Stepped
Step Position Quantity:
5
Attenuation Per Step In Decibels:
10.0 and 10.0 and 20.0 and 20.0 and 20.0
Mounting Facility Type And Quantity:
2 threaded hole
Frequency Range:
Between 0.000 megahertz and 225.000 megahertz
Overall Attenuation Accuracy In Decibels:
-1.60/+1.60
Mounting Thread Quantity:
32 per inch
Adjustment Device Type And Quantity:
5 pushbutton
Mounting Facility Screw Thread Diameter:
0.190 inches
Impedance Rating In Ohms:
50.0 input-output
Terminal Type And Quantity:
2 connector, coaxial, female
Shelf Life:
N/a
Unit Of Measure:

--

NSN 5985-00-714-9524

Variable Attenuator - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

A223a0