NSN 5985-00-758-2056

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-758-2056

Cross	Sectional	Shane.
C1055	Sectional	Snape.

Internal, rectangular external, rectangular

Tubing Wall Construction Style:

Null-point seam first tubing segment

Flange Quantity:

2

Flange Inside Width:

3.002 inches all flanges

Flange Inside Height:

1.501 inches all flanges

Flange Outside Diameter:

5.313 inches all flanges

Flange Depth:

0.750 inches all flanges

Flange Connecting Hole Diameter:

0.286 inches all flanges single connection facility

Voltage Standing Wave Ratio:

1.08

Insertion Loss In Decibels:

0.06

Maximum Operating Pressure:

35.0 pounds per square inch gage

Waveguide Outside Width:

3.000 inches

Waveguide Inside Width:

2.840 inches

Waveguide Inside Height:

1.340 inches

Waveguide Outside Height:

1.500 inches

Flange Connecting Facility And Quantity:

8 unthreaded hole all flanges single connection facility

Flange Style:

Cover type all flanges

Waveguide Length:

1.000 feet

Flexibility:

Flexible all tubing segment

Material:

Copper alloy all tubing segment

Precious Material And Location:

Internal tubing surfaces and internal flange surfaces gold

NSN 5985-00-758-2056 Waveguide Assembly - Page 2 of 2



Precious Material:
Gold
Surface Treatment:
Gold all tubing segment inside surfaces
Style Designator:
Straight type
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A073a0