NSN 5985-00-760-4157

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-760-4157

Cross Sectional Shape:

Internal, rectangular external, rectangular

Thread Class:

2a all flanges all connection facilities

Thread Direction:

Right-hand all flanges all connection facilities

Bend Angle In Deg:

90.0 single bend e-plane

Tubing Wall Construction Style:

Seamless all tubing segment

Flange Quantity:

2

Flange Inside Width:

1.020 inches second flange

Flange Inside Height:

0.510 inches second flange

Flange Outside Width:

1.688 inches second flange

Flange Outside Height:

1.688 inches second flange

Flange Depth:

0.500 inches second flange

Flange Connecting Hole Diameter:

0.169 inches all flanges all connection facilities and 0.172 inches all flanges all connection facilities

Voltage Standing Wave Ratio:

1.15

Insertion Loss In Decibels:

0.08

Maximum Operating Pressure:

20.0 pounds per square inch gage

Waveguide Outside Width:

1.148 inches

Thread Size:

0.164 inches all flanges all connection facilities

Waveguide Inside Width:

1.020 inches

Waveguide Inside Height:

0.510 inches

Waveguide Outside Height:

0.638 inches

Waveguide Longer Offset Distance:

1.875 inches

NSN 5985-00-760-4157

Waveguide Assembly - Page 2 of 2



Flange Connecting Facility And Quantity: 4 unthreaded hole second flange single connection facility Flange Style: Choke type first flange **Waveguide Offset Distance:** 1.375 inches Flexibility: Rigid all tubing segment Material: Aluminum all flange **Surface Treatment:** Enamel all tubing segment outside surfaces Style Designator: Bend type **Thread Series Designator:** Unc all flanges all connection facilities Shelf Life: N/a **Unit Of Measure:**

Demilitarization: Yes - demil/mli

Fiig: A073a0