## NSN 5985-00-760-4158

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-760-4158

## **Cross Sectional Shape:**

Internal, rectangular external, rectangular

**Thread Class:** 

2b all flanges all connection facilities

**Thread Direction:** 

Right-hand all flanges all connection facilities

Bend Angle In Deg:

90.0 single bend e-plane

**Tubing Wall Construction Style:** 

Seamless all tubing segment

Flange Quantity:

2

Flange Inside Width:

1.020 inches second flange

Flange Inside Height:

0.510 inches first flange

Flange Outside Width:

1.688 inches second flange

Flange Outside Height:

1.688 inches second flange

Flange Depth:

0.500 inches second flange

## Flange Connecting Hole Diameter:

0.169 inches all flanges all connection facilities and 0.172 inches all flanges all connection facilities

**Voltage Standing Wave Ratio:** 

1.13

**Insertion Loss In Decibels:** 

0.08

Thready Qty Per Inch (tpi):

32 all flanges all connection facilities

**Maximum Operating Pressure:** 

20.0 pounds per square inch gage

**Waveguide Outside Width:** 

1.148 inches

**Thread Size:** 

0.164 inches all flanges all connection facilities

**Waveguide Inside Width:** 

1.020 inches

**Waveguide Inside Height:** 

0.510 inches

**Waveguide Outside Height:** 

0.638 inches

## **NSN 5985-00-760-4158** Waveguide Assembly - Page 2 of 2



Waveguide Longer Offset Distance:
3.625 inches
Flange Connecting Facility And Quantity:
4 unthreaded hole second flange single connection facility
Flange Style:
Choke type first flange
Waveguide Offset Distance:
1.375 inches
Flexibility:
Rigid all tubing segment
Material:
Aluminum all flange
Surface Treatment:
Enamel all tubing segment outside surfaces
Style Designator:
Bend type
Thread Series Designator:
Unc all flanges all connection facilities
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli
Fiia:

A073a0