NSN 5985-00-764-0833

Variable Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-764-0833

Application Design:
Transmission line
Body Style:
Coaxial type
Overall Length:
5.000 inches
Overall Height:
1.000 inches
Overall Width:
1.000 inches
Operating Tempurature Range:
-20.0/+71.0 degrees celsius
Voltage Standing Wave Ratio:
1.15
Coaxial Connector Series Designation:
Bnc
Power Rating:
100.0 milliwatts average
Insertion Loss At Minimum Attenuation In Maximum Decibels:
0.5
Overall Attenuation Range In Decibels:
+0.0/+101.0
Attenuation Variation Method:
Stepped
Step Position Quantity:
8
Attenuation Per Step In Decibels:
1.0 and 2.0 and 3.0 and 5.0 and 10.0 and 20.0 and 30.0 and 30.0
Mounting Facility Type And Quantity:
2 connector
Frequency Range:
Between 108.000 megahertz and 112.000 megahertz
Overall Attenuation Accuracy In Decibels:
-1.00/+1.00
Adjustment Device Type And Quantity:
8 knob
Impedance Rating In Ohms:
50.0 input-output
Terminal Type And Quantity:
2 connector, coaxial, female
Shelf Life:
N/a

NSN 5985-00-764-0833

Variable Attenuator - Page 2 of 2



Unit Of Measure:

--

Demilitarization:

No

Fiig:

A223a0