NSN 5985-00-779-9130

Variable Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-779-9130

····· - ······ - ·····
Application Design:
Audio
Body Style:
Rotary switch type
Overall Length:
3.000 inches
Shaft Diameter:
0.250 inches
Shaft Length:
0.937 inches
Overall Diameter:
2.343 inches
Schematic Diagram Designator:
Bridged "t"
Distance Between Mounting Facility Centers:
1.500 inches
Power Rating:
0.6 watts average and 2.5 watts peak
Mounting Facility Screw Thread Series Designator:
Unc
Overall Attenuation Range In Decibels:
+0.0/+90.0
Attenuation Variation Method:
Stepped
Step Position Quantity:
9
Attenuation Per Step In Decibels:
10.0
Mounting Facility Type And Quantity:
2 threaded hole
Mounting Thread Quantity:
32 per inch
Adjustment Device Type And Quantity:
1 shaft
Mounting Facility Pattern:
Two position in-line
Shaft Type:
Round
Mounting Facility Screw Thread Diameter:
0.164 inches
Impedance Rating In Ohms:
1000.0 input-output

NSN 5985-00-779-9130

Variable Attenuator - Page 2 of 2



Terminal Type And Quantity:

3 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

Yes - demil/mli

Fiig:

A223a0