NSN 5985-00-783-5143

Variable Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-783-5143

Application Design:

Audio

Body Style:

Cylindrical w/rear terminals

Overall Length:

1.938 inches

Shaft Diameter:

0.250 inches

Bushing Length:

0.500 inches

Shaft Length:

0.688 inches

Body Length:

1.250 inches

Overall Diameter:

0.875 inches

Schematic Diagram Designator:

"t"

Operating Tempurature Range:

-55.0/+125.0 degrees celsius

Power Rating:

2.0 watts average

Mounting Facility Screw Thread Series Designator:

Unef

Insertion Loss At Minimum Attenuation In Maximum Decibels:

0.2

Overall Attenuation Range In Decibels:

+0.0/+50.0

Attenuation Variation Method:

Continuous

Mounting Facility Type And Quantity:

1 threaded bushing

Overall Attenuation Accuracy In Decibels:

-1.00/+1.00

Mounting Thread Quantity:

32 per inch

Adjustment Device Type And Quantity:

1 shaft

Shaft Type:

Round, slotted

Mounting Facility Screw Thread Diameter:

0.375 inches

NSN 5985-00-783-5143

Variable Attenuator - Page 2 of 2



Impedance Rating In Ohms:

600.0 input-output

Terminal Type And Quantity:

9 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A223a0