NSN 5985-00-791-7350

Fixed Attenuator - Page 1 of 2

Application Design:

View Online at https://aerobasegroup.com/nsn/5985-00-791-7350



Audio **Body Material:** Plastic, epoxy resin **Body Style:** Rectangular, terminal/terminals on one surface **Terminal Material:** Copper **Terminal Surface Treatment:** Silver plated **Overall Length:** Between 0.969 inches and 1.031 inches **Overall Height:** 0.594 inches **Overall Width:** Between 0.594 inches and 0.656 inches **Body Height:** Between 0.469 inches and 0.531 inches Schematic Diagram Designator: Balanced "h" bridged **Operating Tempurature Range:** -40.0/+85.0 degrees celsius Input Impedance Rating In Ohms: 600.0 **Output Impedance Rating In Ohms:** 600.0 **Power Rating:** 250.0 milliwatts average **Rf Signal Attenuation In Decibels:** 11.0 **Center To Center Distance Between First And Second Terminals:** 0.250 inches Center To Center Distance Between Second And Third Terminals: 0.500 inches **Center To Center Distance Between Third And Fourth Terminals:** 0.750 inches **Attenuation Accuracy Reference Frequency:** 1.0 kilohertz **Attenuation Accuracy In Decibels:** -0.20/+0.20 **Mounting Method:** Terminal

NSN 5985-00-791-7350 Fixed Attenuator - Page 2 of 2



Terminal Type And Quantity:
4 banana plug
Frequency Range:
Between 0.000 hertz and 1.000 kilohertz
Precious Material And Location:
Terminal surfaces silver
Precious Material:
Silver
Fsc Application Data:
Antennas, waveguides, and related equipment
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A20000