NSN 5985-00-791-7399

Fixed Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-791-7399

View Online at https://aerobasegroup.com/nsn/5985-00-791-7399
Application Design:
Audio
Body Material:
Plastic, epoxy resin
Body Style:
Rectangular, terminal/terminals on one surface
Terminal Material:
Copper
Terminal Surface Treatment:
Silver plated
Overall Length:
Between 0.969 inches and 1.031 inches
Overall Height:
0.750 inches
Overall Width:
Between 0.594 inches and 0.656 inches
Body Height:
Between 0.469 inches and 0.531 inches
Schematic Diagram Designator:
Balanced "h" bridged
Operating Tempurature Range:
-40.0/+85.0 degrees celsius
Input Impedance Rating In Ohms:
600.0
Output Impedance Rating In Ohms:
600.0
Power Rating:
250.0 milliwatts average
Rf Signal Attenuation In Decibels:
3.0
Voltage Standing Wave Ratio Frequency Range:
+0.0/+1.0 kilohertz
Center To Center Distance Between First And Second Terminals:
0.250 inches
Center To Center Distance Between Second And Third Terminals:
0.250 inches
Center To Center Distance Between Third And Fourth Terminals:
0.250 inches
Attenuation Accuracy Reference Frequency:
1.0 kilohertz
Attenuation Accuracy In Decibels:

-0.10/+0.10

NSN 5985-00-791-7399

Fixed Attenuator - Page 2 of 2



Mounting Method:
Terminal
Terminal Type And Quantity:
4 banana plug
Frequency Range:
Between 0.000 hertz and 1.000 kilohertz
Precious Material And Location:
Terminal surfaces silver
Precious Material:
Silver
Fsc Application Data:
Antennas, waveguides, and related equipment
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
F!!
Fiig: