NSN 5985-00-792-2284

Fixed Attenuator - Page 1 of 2

AeroBase Group

View Online at https://aerobasegroup.com/nsn/5985-00-792-2284

Application Decign:
Application Design:
Audio
Body Material:
Plastic, epoxy resin
Body Style:
Rectangular, terminal/terminals on one surface
Terminal Material:
Copper
Terminal Surface Treatment:
Silver plated
Overall Length:
Between 0.969 inches and 1.031 inches
Overall Height:
0.594 inches
Overall Width:
Between 0.594 inches and 0.656 inches
Body Height:
Between 0.469 inches and 0.531 inches
Schematic Diagram Designator:
Balanced "h" bridged
Operating Tempurature Range:
-40.0/+85.0 degrees celsius
Input Impedance Rating In Ohms:
600.0
Output Impedance Rating In Ohms:
600.0
Power Rating:
250.0 milliwatts average
Rf Signal Attenuation In Decibels:
25.0
Center To Center Distance Between First And Second Terminals:
0.250 inches
Center To Center Distance Between Second And Third Terminals:
0.500 inches
Center To Center Distance Between Third And Fourth Terminals:
0.750 inches
Attenuation Accuracy In Decibels:
-0.20/+0.20
Mounting Method:
Terminal
Terminal Type And Quantity:
4 banana plug

NSN 5985-00-792-2284

Fixed Attenuator - Page 2 of 2



Frequency Range:

Between 0.000 hertz and 1.000 kilohertz

Precious Material And Location:

Terminal surfaces silver

Precious Material:

Silver

Fsc Application Data:

Antennas, waveguides, and related equipment

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A20000