## NSN 5985-00-811-7465

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-811-7465

## **Cross Sectional Shape:**

Internal, rectangular external, rectangular

**Thread Class:** 

2b second flange second connection facility

**Thread Direction:** 

Right-hand second flange second connection facility

**Tubing Wall Construction Style:** 

Seamless single tubing segment

Flange Quantity:

2

Flange Inside Width:

0.705 inches second flange

Flange Inside Height:

0.395 inches second flange

Flange Outside Width:

1.313 inches second flange

Flange Outside Height:

1.312 inches first flange

Flange Inside Diameter:

1.000 inches first flange

Flange Depth:

0.375 inches first flange

**Voltage Standing Wave Ratio:** 

1.15

**Insertion Loss In Decibels:** 

0.10

Thready Qty Per Inch (tpi):

32 second flange second connection facility

**Waveguide Outside Width:** 

0.702 inches

**Thread Size:** 

0.138 inches second flange second connection facility

Waveguide Inside Width:

0.622 inches

**Waveguide Inside Height:** 

0.311 inches

**Waveguide Outside Height:** 

0.391 inches

Flange Connecting Facility And Quantity:

4 threaded hole first flange all connection facilities

Flange Style:

Cover type second flange

## **NSN 5985-00-811-7465** Waveguide Assembly - Page 2 of 2



Waveguide Length:
1.622 inches
Special Features:
Second flange has 2.000 in. Diameter mtg plate with four 0.166 in. Diameter mtg holes on 1.625 in. Bolt circle
Flexibility:
Rigid single tubing segment
Material:
Copper alloy all tubing segment and flange
Style Designator:
Straight type
Thread Series Designator:
Unc second flange second connection facility
Shelf Life:
N/a
Unit Of Measure:
-
Demilitarization:
No
Filg:
4073a0