NSN 5985-00-822-2632

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-822-2632

Cross Sectional Shape:

Internal, rectangular external, rectangular

Thread Class:

2b first flange single connection facility

Thread Direction:

Right-hand first flange single connection facility

Bend Angle In Deg:

45.0 single bend e-plane

Tubing Wall Construction Style:

Seamless single tubing segment

Flange Quantity:

2

Flange Inside Width:

0.705 inches first flange

Flange Inside Height:

0.394 inches second flange

Flange Outside Width:

1.625 inches second flange

Flange Outside Height:

1.625 inches second flange

Flange Depth:

0.375 inches second flange

Flange Connecting Hole Diameter:

0.144 inches second flange single connection facility

Voltage Standing Wave Ratio:

1.05

Waveguide Outside Width:

0.702 inches

Thread Size:

0.138 inches first flange single connection facility

Waveguide Inside Width:

0.622 inches

Waveguide Inside Height:

0.311 inches

Waveguide Outside Height:

0.391 inches

Flange Connecting Facility And Quantity:

4 unthreaded hole second flange single connection facility

Flange Style:

Cover type first flange

Waveguide Offset Distance:

1.750 inches

NSN 5985-00-822-2632 Waveguide Assembly - Page 2 of 2



Flexibility:
Flexible all tubing segment
Material:
Copper all flange
Precious Material And Location:
Internal surfaces silver
Precious Material:
Silver
Surface Treatment:
Silver all tubing segment and flange inside surfaces
Style Designator:
Bend type
Thread Series Designator:
Unc first flange single connection facility
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A073a0