## NSN 5985-00-823-2028

1b round, terminal/terminals in opposite surface

Fixed Attenuator - Page 1 of 2

Application Design:
Transmission line
Body Material:

**Body Style:** 

Brass, qq-b-626, comp 22, 1/2h



View Online at https://aerobasegroup.com/nsn/5985-00-823-2028

Body Surface Treatment:
Silver plated, qq-s-365
Overall Length:
2.688 inches
Overall Diameter:
0.813 inches
Operating Tempurature Range:
-55.0/+125.0 degrees celsius
Voltage Standing Wave Ratio:
1.20 and 1.25
Input Impedance Rating In Ohms:
50.0
Output Impedance Rating In Ohms:
50.0
Coaxial Connector Series Designation:
N
Power Rating:
2.0 watts average and 300.0 watts peak
Rf Signal Attenuation In Decibels:
20.0
Voltage Standing Wave Ratio Frequency Range:
+0.0/+3.0 gigahertz and +3.0/+6.0 gigahertz
Temperature Sensitivity Attenuation In Decibels:
0.0001
Connection Type Per Function:
Female input and male output
Mounting Method:
Connector
Terminal Type And Quantity:
2 connector
Frequency Range:
Between 0.000 gigahertz and 6.000 gigahertz
Precious Material And Location:
Body surfaces silver
Precious Material:
Silver

## NSN 5985-00-823-2028

Fixed Attenuator - Page 2 of 2



he			

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A20000