NSN 5985-00-840-3418

Fixed Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-840-3418

Application Design:

Transmission line

Body Material:

Steel, stainless

Body Style:

1b round, terminal/terminals in opposite surface

Body Surface Treatment:

Any acceptable

Overall Length:

8.250 inches

Overall Diameter:

0.781 inches

Voltage Standing Wave Ratio:

1.25

Input Impedance Rating In Ohms:

50.0

Output Impedance Rating In Ohms:

50.0

Coaxial Connector Series Designation:

Ν

Power Rating:

3.0 watts average

Rf Signal Attenuation In Decibels:

6.0

Voltage Standing Wave Ratio Frequency Range:

+1.0/+10.0 gigahertz

Attenuation Accuracy Reference Frequency:

4.0 gigahertz

Attenuation Accuracy In Decibels:

-0.10/+0.10

Mounting Method:

Connector

Terminal Type And Quantity:

2 connector

Frequency Range:

Between 1.000 gigahertz and 10.000 gigahertz

Test Data Document:

12436-810001-565 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing,

etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Shelf Life:

N/a

Unit Of Measure:

NSN 5985-00-840-3418

Fixed Attenuator - Page 2 of 2

Demilitarization:

No

Fiig:

A20000

