## NSN 5985-00-856-2688

Variable Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-856-2688 **Application Design:** Audio **Body Style:** Cylindrical w/side terminals **Overall Length:** 2.680 inches **Overall Width:** 1.490 inches First Flat Length: 0.630 inches Flat Height: Between 0.211 inches and 0.221 inches **Body Diameter:** 1.160 inches **Shaft Diameter:** Between 0.248 inches and 0.250 inches **Bushing Length:** 0.375 inches **Shaft Length:** 1.380 inches **Body Length:** 1.270 inches **Schematic Diagram Designator:** Bridged "t" **Power Rating:** 3.0 watts average **Mounting Facility Screw Thread Series Designator: Overall Attenuation Range In Decibels:** +0.0/+33.0 **Attenuation Variation Method:** Continuous **Mounting Facility Type And Quantity:** 1 threaded bushing **Overall Attenuation Accuracy In Decibels:** -5.00/+5.00 **Mounting Thread Quantity:** 32 per inch **Adjustment Device Type And Quantity:** 

1 shaft **Shaft Type:** 

Round, flatted

## NSN 5985-00-856-2688

Variable Attenuator - Page 2 of 2



Mounting Facility Screw Thread Diameter:
0.375 inches
Impedance Rating In Ohms:
75.0 input-output
Terminal Type And Quantity:
6 tab, solder lug
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A223a0