## NSN 5985-00-882-1250

Variable Attenuator - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5985-00-882-1250



Application Design:

Audio

Body Style:

Cylindrical w/side terminals

Overall Length:

3.531 inches

**Overall Width:** 

2.031 inches

Body Diameter:

1.625 inches

Shaft Diameter:

0.250 inches

Bushing Length:

0.375 inches

Shaft Length:

2.406 inches

Body Length:

1.125 inches

Schematic Diagram Designator:

Unbalanced ladder

**Operating Tempurature Range:** 

-55.0/+125.0 degrees celsius

**Power Rating:** 

4.0 watts average

Mounting Facility Screw Thread Series Designator:

Unef

**Overall Attenuation Range In Decibels:** 

+0.0/+36.0

Attenuation Variation Method:

Continuous

Mounting Facility Type And Quantity:

1 threaded bushing

Frequency Range:

Between 0.000 kilohertz and 20.000 kilohertz

**Overall Attenuation Accuracy In Decibels:** 

-1.80/+1.80

Mounting Thread Quantity:

32 per inch

Adjustment Device Type And Quantity:

1 shaft

Shaft Type:

Round

## NSN 5985-00-882-1250

Variable Attenuator - Page 2 of 2



Mounting Facility Screw Thread Diameter:

0.375 inches

Impedance Rating In Ohms:

1000.0 input-output

Terminal Type And Quantity:

4 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A223a0