## NSN 5985-00-882-6496

Variable Attenuator - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5985-00-882-6496

Application Design:	
Transmission line	
Overall Length:	
7.375 inches	
Overall Height:	
1.031 inches	
Overall Width:	
2.375 inches	
Distance Between Mounting Facility Centers:	
7.000 inches	
Power Rating:	
500.0 milliwatts average	
Mounting Facility Screw Thread Series Designator:	
Unf	
Overall Attenuation Range In Decibels:	
+0.0/+40.0	
Attenuation Variation Method:	
Stepped	
Step Position Quantity:	
5	
Attenuation Per Step In Decibels:	
2.0 and 4.0 and 6.0 and 8.0 and 20.0	
Mounting Facility Type And Quantity:	
2 threaded hole	
Frequency Range:	
Between 0.000 hertz and 225.000 megahertz	
Mounting Thread Quantity:	
32 per inch	
Mounting Facility Pattern:	
Two position in-line	
Mounting Facility Screw Thread Diameter:	
0.190 inches	
Impedance Rating In Ohms:	
50.0 input-output	
Shelf Life:	
N/a	
Unit Of Measure:	
Demilitarization:	
Yes - demil/mli	
Fiig:	
A223a0	