NSN 5985-00-895-6500

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-895-6500

Cross Sectional Shape:

Internal, rectangular external, rectangular

Bend Angle In Deg:

90.0 single bend e-plane

Tubing Wall Construction Style:

Seamless single tubing segment

Flange Quantity:

2

Flange Inside Width:

6.490 inches all flanges and 6.510 inches all flanges

Flange Inside Height:

3.240 inches all flanges and 3.260 inches all flanges

Flange Outside Width:

8.668 inches all flanges and 8.708 inches all flanges

Flange Outside Height:

5.458 inches second flange

Flange Depth:

0.918 inches all flanges and 0.958 inches all flanges

Voltage Standing Wave Ratio:

1.05

Maximum Operating Pressure:

25.0 pounds per square inch gage

Waveguide Outside Width:

6.875 inches

Waveguide Inside Width:

6.500 inches

Waveguide Inside Height:

3.250 inches

Waveguide Outside Height:

3.625 inches

Waveguide Longer Offset Distance:

Between 9.370 inches and 9.380 inches

Flange Connecting Facility And Quantity:

10 unthreaded hole all flanges single connection facility

Flange Style:

Contact type all flanges

Waveguide Offset Distance:

Between 9.370 inches and 9.380 inches

Flexibility:

Rigid single tubing segment

Surface Treatment:

Enamel all tubing segment and flange outside surfaces

NSN 5985-00-895-6500

Waveguide Assembly - Page 2 of 2



Style Designator:

Bend type

Fsc Application Data:

Antennas, waveguides, and related equipment

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

Yes - demil/mli

Fiig:

A073a0