NSN 5985-00-901-1582

Variable Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-901-1582 **Application Design:** Audio **Body Style:** Cylindrical w/side terminals **Overall Length:** 3.000 inches **Overall Width:** 3.094 inches **Body Diameter:** 2.750 inches **Body Length:** 2.062 inches **Schematic Diagram Designator:** Bridged "t" **Distance Between Mounting Facility Centers:** 1.500 inches **Power Rating:** 600.0 milliwatts average **Mounting Facility Screw Thread Series Designator:** Unc **Overall Attenuation Range In Decibels:** +0.0/+45.0 **Attenuation Variation Method:** Stepped **Step Position Quantity:** 45 **Attenuation Per Step In Decibels: Mounting Facility Type And Quantity:** 2 threaded hole Frequency Range: Between 0.000 kilohertz and 35.000 kilohertz **Mounting Thread Quantity:** 32 per inch **Adjustment Device Type And Quantity:** 1 shaft **Mounting Facility Pattern:** Two position in-line **Shaft Type:** Round, slotted **Mounting Facility Screw Thread Diameter:**

0.164 inches

NSN 5985-00-901-1582

Variable Attenuator - Page 2 of 2



50.0 input-output

Terminal Type And Quantity:

6 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A223a0