

View Online at <https://aerobasegroup.com/nsn/5985-00-906-6120>

Application Design:

Transmission line

Body Style:

Coaxial type

Overall Length:

4.250 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

Between 1.240 inches and 1.260 inches

Center To Center Distance Between Mounting Facilities Parallel To Width:

Between 1.802 inches and 1.822 inches

Overall Height:

3.750 inches

Overall Width:

1.000 inches

Shaft Diameter:

0.250 inches

Shaft Length:

0.480 inches

Unthreaded Mounting Hole Diameter:

Between 0.138 inches and 0.146 inches

End Application:

Wsr-74c radar, lwr

Voltage Standing Wave Ratio:

1.35

Coaxial Connector Series Designation:

N

Power Rating:

4.0 watts average

Insertion Loss At Minimum Attenuation In Maximum Decibels:

0.5

Overall Attenuation Range In Decibels:

+0.0/+30.0

Attenuation Variation Method:

Continuous

Mounting Facility Type And Quantity:

4 unthreaded hole

Frequency Range:

Between 5.400 gigahertz and 5.900 gigahertz

Overall Attenuation Accuracy In Decibels:

-0.25/+0.25

Adjustment Device Type And Quantity:

1 shaft

Mounting Facility Pattern:

Four position rectangular

Shaft Type:

Round, slotted

Terminal Type And Quantity:

1 connector, coaxial, female and 1 connector, coaxial, male

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A223a0