## NSN 5985-00-912-6618

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-912-6618

## **Cross Sectional Shape:**

Internal, rectangular external, rectangular

**Thread Class:** 

2b first flange single connection facility

**Thread Direction:** 

Right-hand first flange single connection facility

**Tubing Wall Construction Style:** 

Corrugated single tubing segment

Flange Quantity:

2

Flange Inside Width:

1.253 inches second flange

Flange Inside Height:

0.628 inches second flange

Flange Outside Width:

1.875 inches second flange

Flange Outside Height:

1.875 inches second flange

Flange Depth:

0.625 inches first flange

## Flange Connecting Hole Diameter:

0.169 inches second flange single connection facility

**Voltage Standing Wave Ratio:** 

1.10

**Waveguide Outside Width:** 

1.250 inches

**Thread Size:** 

0.164 inches first flange single connection facility

**Waveguide Inside Width:** 

1.122 inches

**Waveguide Inside Height:** 

0.497 inches

**Waveguide Outside Height:** 

0.625 inches

Flange Connecting Facility And Quantity:

4 unthreaded hole second flange single connection facility

Flange Style:

Cover type second flange

Waveguide Length:

3.000 feet

Flexibility:

Flexible single tubing segment

## NSN 5985-00-912-6618

Waveguide Assembly - Page 2 of 2



late	

Copper alloy all flange

**Surface Treatment:** 

Any acceptable all flange outside surfaces

Style Designator:

Straight type

**Thread Series Designator:** 

Unc all flanges single connection facility

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A073a0