NSN 5985-00-922-1203

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-922-1203

Cross Sectional Shape:

Internal, rectangular external, rectangular

Thread Class:

2a all flanges all connection facilities

Thread Direction:

Right-hand all flanges all connection facilities

Bend Angle In Deg:

90.0 single bend e-plane

Tubing Wall Construction Style:

Seamless single tubing segment

Flange Quantity:

2

Flange Inside Width:

0.622 inches all flanges

Flange Inside Height:

0.311 inches all flanges

Flange Outside Width:

1.312 inches all flanges

Flange Outside Height:

1.312 inches all flanges

Flange Inside Diameter:

0.994 inches all flanges

Flange Depth:

0.375 inches all flanges

Voltage Standing Wave Ratio:

1.10

Waveguide Outside Width:

0.702 inches

Thread Size:

0.138 inches all flanges all connection facilities

Waveguide Inside Width:

0.622 inches

Waveguide Inside Height:

0.311 inches

Waveguide Outside Height:

0.391 inches

Waveguide Longer Offset Distance:

3.125 inches

Flange Connecting Facility And Quantity:

4 threaded hole all flanges all connection facilities

Waveguide Width:

2.250 inches

NSN 5985-00-922-1203 Waveguide Assembly - Page 2 of 2



Flange Style:
Choke type all flanges
Waveguide Length:
7.625 inches
Waveguide Height:
1.343 inches
Special Features:
Angle bracket welded across straight end
Flexibility:
Rigid single tubing segment
Material:
Aluminum alloy all tubing segment and flange
Surface Treatment:
Any acceptable all flange outside surfaces
Style Designator:
Tee, series type
Thread Series Designator:
Unc all flanges all connection facilities
Fsc Application Data:
Electronic guidance signals
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A073a0