## NSN 5985-00-924-4503

View Online at https://aerobasegroup.com/nsn/5985-00-924-4503

Fixed Attenuator - Page 1 of 2



**Application Design:** Transmission line **Body Material:** Steel **Body Style:** 1b round, terminal/terminals in opposite surface **Body Surface Treatment:** Silver **Overall Length:** 3.890 inches **Overall Diameter:** 0.830 inches **Operating Tempurature Range:** -55.0/+125.0 degrees celsius **Voltage Standing Wave Ratio:** 1.25 Input Impedance Rating In Ohms: 50.0 **Output Impedance Rating In Ohms:** 50.0 **Coaxial Connector Series Designation:** Ν **Power Rating:** 2.0 watts average **Rf Signal Attenuation In Decibels:** 60.0 **Voltage Standing Wave Ratio Frequency Range:** +0.0/+4.5 gigahertz **Attenuation Accuracy Reference Frequency:** 4.5 gigahertz **Attenuation Accuracy In Decibels:** -2.00/+2.00 **Unpackaged Unit Weight:** 3.200 ounces **Mounting Method:** Connector **Terminal Type And Quantity:** 2 connector Frequency Range: Between 0.000 hertz and 4.500 gigahertz **Precious Material And Location:** 

Body surfaces silver

## NSN 5985-00-924-4503

Fixed Attenuator - Page 2 of 2



Precious Material:
Silver
Fsc Application Data:
Antennas, waveguides, and related equipment
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli

**Fiig:** A20000