## NSN 5985-00-927-3101

Fixed Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-927-3101 **Application Design:** Transmission line **Body Material:** Any acceptable **Body Style:** 1b round, terminal/terminals in opposite surface **Body Surface Treatment:** Silver plated, qq-s-365 **Overall Length:** Between 2.110 inches and 2.230 inches **Overall Diameter:** 0.830 inches **Operating Tempurature Range:** -55.0/+125.0 degrees celsius **Voltage Standing Wave Ratio:** 1.25 Input Impedance Rating In Ohms: 50.0 **Output Impedance Rating In Ohms:** 50.0 **Coaxial Connector Series Designation:** Ν **Power Rating:** 3.0 watts average and 2.0 kilowatts peak **Rf Signal Attenuation In Decibels:** 0.5 **Attenuation Accuracy In Decibels:** -0.50/+0.50 **Connection Type Per Function:** Female input and male output **Mounting Method:** Connector **Terminal Type And Quantity:** 2 connector Frequency Range: Between 0.000 hertz and 2.000 gigahertz **Precious Material And Location:** Body @finish silver **Precious Material:** Silver

Shelf Life: N/a

## NSN 5985-00-927-3101

Fixed Attenuator - Page 2 of 2



	1	:.	~	84				
ι	JN	IT	UΤ	IVI	ea	Sι	ire:	•

--

Demilitarization:

No

Fiig:

A20000