## NSN 5985-00-929-5943

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-929-5943

## **Cross Sectional Shape:**

Internal, rectangular external, rectangular

**Thread Class:** 

2b all flanges single connection facility

**Thread Direction:** 

Right-hand all flanges single connection facility

Bend Angle In Deg:

90.0 single bend e-plane

**Tubing Wall Construction Style:** 

Seamless single tubing segment

Flange Quantity:

2

Flange Inside Width:

0.900 inches all flanges

Flange Inside Height:

0.400 inches all flanges

Flange Outside Width:

1.625 inches all flanges

Flange Outside Height:

1.625 inches all flanges

Flange Inside Diameter:

1.422 inches all flanges

Flange Depth:

0.438 inches all flanges

**Voltage Standing Wave Ratio:** 

1.07

**Waveguide Outside Width:** 

1.100 inches

Thread Size:

0.164 inches all flanges single connection facility

Waveguide Inside Width:

0.900 inches

**Waveguide Inside Height:** 

0.400 inches

**Waveguide Outside Height:** 

0.600 inches

**Waveguide Longer Offset Distance:** 

1.247 feet

Flange Connecting Facility And Quantity:

4 threaded hole all flanges single connection facility

Flange Style:

Choke type all flanges

## **NSN 5985-00-929-5943** Waveguide Assembly - Page 2 of 2



Waveguide Offset Distance:
1.706 inches
Flexibility:
Rigid single tubing segment
Material:
Copper alloy single tubing segment
Surface Treatment:
Chromate zinc single tubing segment outside surfaces and enamel single tubing segment outside surfaces
Style Designator:
Bend type
Thread Series Designator:
Unc all flanges single connection facility
Fsc Application Data:
Fire control radar equipment, except airborne
Shelf Life:
N/a
Unit Of Measure:
<del></del>
Demilitarization:
Yes - demil/mli
Fiig:
A073a0