NSN 5985-00-929-5944

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-929-5944

Cross Sectional Shape: Internal, rectangular external, rectangular **Thread Class:** 2b all flanges single connection facility Thread Direction: Right-hand all flanges single connection facility Bend Angle In Deg: 45.0 single bend e-plane **Tubing Wall Construction Style:** Seamless single tubing segment Flange Quantity: 2 Flange Inside Width: 1.122 inches all flanges Flange Inside Height: 0.497 inches all flanges Flange Outside Width: 1.875 inches all flanges Flange Outside Height: 1.875 inches all flanges Flange Inside Diameter: 1.625 inches all flanges Flange Depth: 0.625 inches all flanges **Voltage Standing Wave Ratio:** 1.05 Waveguide Outside Width: 1.370 inches Thread Size: 0.164 inches all flanges single connection facility Waveguide Inside Width: 1.122 inches Waveguide Inside Height: 0.497 inches Waveguide Outside Height: 0.745 inches Waveguide Longer Offset Distance: 4.080 inches Flange Connecting Facility And Quantity: 4 threaded hole all flanges single connection facility Flange Style: Choke type all flanges

NSN 5985-00-929-5944

Waveguide Assembly - Page 2 of 2



Waveguide Offset Distance:

0.880 inches

Flexibility:

Rigid single tubing segment

Material:

Copper alloy single tubing segment

Surface Treatment:

Chromate zinc single tubing segment outside surfaces and enamel single tubing segment outside surfaces

Style Designator:

Bend type

Thread Series Designator:

Unc all flanges single connection facility

Fsc Application Data:

Fire control radar equipment, except airborne

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A073a0