NSN 5985-00-929-5944

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-929-5944

Cross Sectional Shape:

Internal, rectangular external, rectangular

Thread Class:

2b all flanges single connection facility

Thread Direction:

Right-hand all flanges single connection facility

Bend Angle In Deg:

45.0 single bend e-plane

Tubing Wall Construction Style:

Seamless single tubing segment

Flange Quantity:

2

Flange Inside Width:

1.122 inches all flanges

Flange Inside Height:

0.497 inches all flanges

Flange Outside Width:

1.875 inches all flanges

Flange Outside Height:

1.875 inches all flanges

Flange Inside Diameter:

1.625 inches all flanges

Flange Depth:

0.625 inches all flanges

Voltage Standing Wave Ratio:

1.05

Waveguide Outside Width:

1.370 inches

Thread Size:

0.164 inches all flanges single connection facility

Waveguide Inside Width:

1.122 inches

Waveguide Inside Height:

0.497 inches

Waveguide Outside Height:

0.745 inches

Waveguide Longer Offset Distance:

4.080 inches

Flange Connecting Facility And Quantity:

4 threaded hole all flanges single connection facility

Flange Style:

Choke type all flanges

NSN 5985-00-929-5944 Waveguide Assembly - Page 2 of 2



Waveguide Offset Distance:	
0.880 inches	
Flexibility:	
Rigid single tubing segment	
Material:	
Copper alloy single tubing segment	
Surface Treatment:	
Chromate zinc single tubing segment outside surfaces and enamel single tubing segment outside surfaces	
Style Designator:	
Bend type	
Thread Series Designator:	
Unc all flanges single connection facility	
Fsc Application Data:	
Fire control radar equipment, except airborne	
Shelf Life:	
N/a	
Unit Of Measure:	
-	
Demilitarization:	
Yes - demil/mli	
Filg:	
A073a0	