NSN 5985-00-933-4562

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-933-4562

Cross Sectional Shape:

Internal, rectangular external, elliptical

Thread Class:

2b second flange single connection facility

Thread Direction:

Right-hand second flange single connection facility

Tubing Wall Construction Style:

Seamless single tubing segment

Tubing Twist Type:

Twistable single tubing segment

Flange Quantity:

2

Flange Inside Width:

2.002 inches second flange

Flange Inside Height:

1.002 inches second flange

Flange Outside Diameter:

3.625 inches second flange

Flange Depth:

0.938 inches first flange

Flange Connecting Hole Diameter:

0.201 inches first flange single connection facility

Waveguide Outside Width:

2.000 inches

Thread Size:

0.190 inches second flange single connection facility

Waveguide Inside Width:

1.872 inches

Waveguide Inside Height:

0.872 inches

Waveguide Outside Height:

1.000 inches

Flange Connecting Facility And Quantity:

8 unthreaded hole first flange single connection facility

Flange Style:

Cover type second flange

Waveguide Length:

2.750 inches

Waveguide Center To Center Distance:

1.000 inches

Flexibility:

Flexible all tubing segment

NSN 5985-00-933-4562 Waveguide Assembly - Page 2 of 2



| Material: |
|--|
| Copper alloy all flange |
| Surface Treatment: |
| Silver all flange inside surfaces |
| Style Designator: |
| Offset bend type |
| Thread Series Designator: |
| Unc second flange single connection facility |
| Fsc Application Data: |
| Radio set, except navigation and home types, nonairborne |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| Yes - demil/mli |

Fiig: A073a0