## NSN 5985-00-959-2900

Fixed Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-959-2900

Application Design
Application Design: Transmission line
Body Material:
Any acceptable
Body Style:
1b round, terminal/terminals in opposite surface
Terminal Material:
Any acceptable
Terminal Surface Treatment:
Any acceptable
Body Surface Treatment:
Any acceptable
Overall Length:
2.200 inches
Overall Diameter:
0.650 inches
Operating Tempurature Range:
-54.0/+51.0 degrees celsius
Voltage Standing Wave Ratio:
1.25
Input Impedance Rating In Ohms:
50.0
Output Impedance Rating In Ohms:
50.0
Coaxial Connector Series Designation:
Tnc
Power Rating:
2.0 watts average
Rf Signal Attenuation In Decibels:
10.0
Voltage Standing Wave Ratio Frequency Range:
+0.0/+2.0 gigahertz
Attenuation Accuracy In Decibels:
-1.10/+1.10
Connection Type Per Function:
Male input and male output
Unpackaged Unit Weight:
2.400 ounces
Mounting Method:
Connector
Terminal Type And Quantity:
2 connector

## NSN 5985-00-959-2900

Fixed Attenuator - Page 2 of 2



Frequency Range:

Between 0.000 hertz and 2.000 gigahertz

## Fsc Application Data:

Antennas, waveguides, and related equipment

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A20000