## NSN 5985-00-973-1704

Fixed Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-973-1704 **Application Design:** Transmission line **Body Material:** Any acceptable **Body Style:** 1b round, terminal/terminals in opposite surface **Body Surface Treatment:** Any acceptable **Overall Length:** 3.250 inches **Overall Diameter:** 0.812 inches **Voltage Standing Wave Ratio:** 1.20 Input Impedance Rating In Ohms: 50.0 **Output Impedance Rating In Ohms:** 50.0 **Coaxial Connector Series Designation: Power Rating:** 1.0 watts average and 1.0 kilowatts peak **Rf Signal Attenuation In Decibels:** 6.0 **Voltage Standing Wave Ratio Frequency Range:** +1.2/+1.5 gigahertz **Attenuation Accuracy In Decibels:** -0.60/+0.60 **Connection Type Per Function:** Female output and male input **Mounting Method:** Connector **Terminal Type And Quantity:** 2 connector Frequency Range: Between 0.000 hertz and 2.000 gigahertz Shelf Life: N/a **Unit Of Measure:** 

**Demilitarization:** Yes - demil/mli

## NSN 5985-00-973-1704

Fixed Attenuator - Page 2 of 2



Fiig:

A20000