## NSN 5985-01-009-2284

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-009-2284

## **Cross Sectional Shape:**

Internal, rectangular external, rectangular

**Thread Class:** 

2b first flange all connection facilities

**Thread Direction:** 

Right-hand first flange all connection facilities

**Tubing Wall Construction Style:** 

Seamless single tubing segment

**Tubing Twist Type:** 

Straight twist single tubing segment

**Tubing Twist Angle In Deg:** 

90.0 single tubing segment

Flange Quantity:

2

#### Flange Inside Width:

1.003 inches second flange and 1.006 inches second flange

#### Flange Inside Height:

0.503 inches second flange and 0.506 inches second flange

## Flange Outside Width:

1.610 inches second flange and 1.640 inches second flange

## Flange Outside Height:

1.610 inches first flange and 1.640 inches first flange

#### Flange Depth:

0.423 inches second flange and 0.453 inches second flange

## Flange Connecting Hole Diameter:

0.169 inches second flange all connection facilities and 0.172 inches second flange all connection facilities

## **Voltage Standing Wave Ratio:**

1.15

#### **Insertion Loss In Decibels:**

0.10

## **Maximum Operating Pressure:**

30.0 pounds per square inch gage

## **Waveguide Outside Width:**

Between 0.996 inches and 1.004 inches

#### **Thread Size:**

0.164 inches first flange all connection facilities

#### Waveguide Inside Width:

Between 0.896 inches and 0.904 inches

## **Waveguide Inside Height:**

Between 0.396 inches and 0.404 inches

#### **Waveguide Outside Height:**

Between 0.496 inches and 0.504 inches

## NSN 5985-01-009-2284

Waveguide Assembly - Page 2 of 2



# Flange Connecting Facility And Quantity: 4 unthreaded hole second flange all connection facilities Flange Style: Choke type first flange **Waveguide Center To Center Distance:** 17.680 inches **Waveguide Height:** 1.720 inches Flexibility: Rigid single tubing segment Material: Aluminum alloy all tubing segment and flange **Surface Treatment:** Chromate all tubing segment and flange outside surfaces **Style Designator:** Double bend type **Thread Series Designator:** Unc first flange all connection facilities **Specification Data:** 36659-673072 manufacturers specification control Shelf Life: N/a **Unit Of Measure:**

**Demilitarization:** Yes - demil/mli

Fiig: A073a0