NSN 5985-01-014-4924

Fixed Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-014-4924 **Application Design:** Transmission line **Body Material:** Aluminum, type 2024-t351 per qq-a-225 **Body Style:** 1b round, terminal/terminals in opposite surface **Body Surface Treatment:** Black anodize **Overall Length:** 3.125 inches **Overall Diameter:** Between 1.490 inches and 1.510 inches **Operating Tempurature Range:** -54.0/+105.0 degrees celsius **Voltage Standing Wave Ratio:** 1.30 Input Impedance Rating In Ohms: 50.0 **Output Impedance Rating In Ohms:** 50.0 **Coaxial Connector Series Designation:** Ν **Power Rating:** 20.0 watts average and 1.0 kilowatts peak **Rf Signal Attenuation In Decibels:** 20.0 **Voltage Standing Wave Ratio Frequency Range:** +0.0/+11.0 gigahertz **Connection Type Per Function:** Female input and male output **Mounting Method:** Connector **Terminal Type And Quantity:** 2 connector Frequency Range: Between 0.000 hertz and 11.000 gigahertz Shelf Life: N/a **Unit Of Measure:**

Demilitarization:

No

NSN 5985-01-014-4924

Fixed Attenuator - Page 2 of 2



Fiig:

A20000