

View Online at <https://aerobasegroup.com/nsn/5985-01-015-2362>

Application Design:

Transmission line

Body Style:

Coaxial type

Overall Length:

Between 1.683 inches and 1.723 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

Between 1.173 inches and 1.203 inches

Center To Center Distance Between Mounting Facilities Parallel To Width:

Between 0.673 inches and 0.703 inches

Overall Height:

1.100 inches

Overall Width:

2.100 inches

Mounting Slot Length:

0.250 inches

Operating Temperature Range:

+0.0/+55.0 degrees celsius

Voltage Standing Wave Ratio:

1.20

Mounting Facility Screw Thread Series Designator:

Unc

Insertion Loss At Minimum Attenuation In Maximum Decibels:

1.0

Overall Attenuation Range In Decibels:

+0.0/+20.0

Attenuation Variation Method:

Continuous

Mounting Facility Type And Quantity:

4 threaded hole

Frequency Range:

Between 45.000 megahertz and 75.000 megahertz

Mounting Thread Quantity:

40 per inch

Mounting Facility Pattern:

Four position rectangular

Mounting Facility Screw Thread Diameter:

0.112 inches

Fsc Application Data:

Pallet, aircraft maintenance

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A223a0