

View Online at <https://aerobasegroup.com/nsn/5985-01-015-2362>

**Application Design:**

Transmission line

**Body Style:**

Coaxial type

**Overall Length:**

Between 1.683 inches and 1.723 inches

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

Between 1.173 inches and 1.203 inches

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

Between 0.673 inches and 0.703 inches

**Overall Height:**

1.100 inches

**Overall Width:**

2.100 inches

**Mounting Slot Length:**

0.250 inches

**Operating Temperature Range:**

+0.0/+55.0 degrees celsius

**Voltage Standing Wave Ratio:**

1.20

**Mounting Facility Screw Thread Series Designator:**

Unc

**Insertion Loss At Minimum Attenuation In Maximum Decibels:**

1.0

**Overall Attenuation Range In Decibels:**

+0.0/+20.0

**Attenuation Variation Method:**

Continuous

**Mounting Facility Type And Quantity:**

4 threaded hole

**Frequency Range:**

Between 45.000 megahertz and 75.000 megahertz

**Mounting Thread Quantity:**

40 per inch

**Mounting Facility Pattern:**

Four position rectangular

**Mounting Facility Screw Thread Diameter:**

0.112 inches

**Fsc Application Data:**

Pallet, aircraft maintenance

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

A223a0