

View Online at <https://aerobasegroup.com/nsn/5985-01-026-7065>

Application Design:

Transmission line

Body Style:

Coaxial type

Overall Length:

2.625 inches

Overall Height:

2.125 inches

Overall Width:

1.375 inches

Voltage Standing Wave Ratio:

1.20 and 1.30

Coaxial Connector Series Designation:

Sma

Power Rating:

0.25 watts average and 250.00 watts peak

Mounting Facility Screw Thread Series Designator:

Unef

Insertion Loss At Minimum Attenuation In Maximum Decibels:

0.5

Overall Attenuation Range In Decibels:

+0.0/+60.0

Attenuation Accuracy Reference Frequency:

500.0 megahertz

Attenuation Variation Method:

Stepped

Step Position Quantity:

10

Attenuation Per Step In Decibels:

6.0

Mounting Facility Type And Quantity:

1 threaded bushing

Frequency Range:

Between 0.000 hertz and 2000.000 megahertz

Overall Attenuation Accuracy In Decibels:

-0.50/+0.50

Mounting Thread Quantity:

32 per inch

Adjustment Device Type And Quantity:

1 knob

Mounting Facility Screw Thread Diameter:

0.375 inches

Impedance Rating In Ohms:

50.0 input-output

Terminal Type And Quantity:

2 connector, coaxial, female

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A223a0