

View Online at <https://aerobasegroup.com/nsn/5985-01-028-1853>

Body Style:

Rectangular

Overall Length:

1.340 inches

Overall Height:

0.500 inches

Overall Width:

1.460 inches

Frequency Rating:

8.0 gigahertz 2nd frequency voltage standing wave ratio and 13.0 gigahertz 2nd frequency voltage standing wave ratio

Unthreaded Mounting Hole Diameter:

0.116 inches

Switch Type:

Nontransfer

Operating Temperature Range:

+0.0/+85.0 degrees celsius

Voltage Standing Wave Ratio:

1.50 3rd

Insertion Loss In Decibels:

0.50 3rd

Coaxial Connector Series Designation:

Sma

Connector End Design:

Female

Actuator Operating Method:

Solid state

Actuator Current Type And Rating In Amps:

0.12 dc

Actuator Voltage In Volts:

28.0

Switch Operation Sequence:

Breaks before makes

Switching Time:

20.0 milliseconds

Switch Return Mechanism Type:

Fail-safe

Pole Quantity:

1

Throw Quantity:

2

Coupling Position Quantity:

3

Mounting Facility Type And Quantity:

2 unthreaded hole

Mounting Facility Pattern:

Two position in-line single mounting facility pattern

Material:

Copper alloy contact (s)

Precious Material And Location:

Contact surfaces gold

Precious Material:

Gold

Surface Treatment:

Nickel body outside surfaces

Terminal Type And Quantity:

2 tab, solder lug and 3 receptacle, coaxial

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A158a0