## NSN 5985-01-028-6022

Variable Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-028-6022

Application Design:
Transmission line
Body Style:
Coaxial type
Overall Length:
4.250 inches
Overall Height:
2.120 inches
Overall Width:
Between 2.180 inches and 2.300 inches
Operating Tempurature Range:
-40.0/+85.0 degrees celsius
Voltage Standing Wave Ratio:
1.50
Coaxial Connector Series Designation:
N
Power Rating:
4.0 watts average
Mounting Facility Screw Thread Series Designator:
Unc
Insertion Loss At Minimum Attenuation In Maximum Decibels:
0.5
Overall Attenuation Range In Decibels:
+0.0/+30.0
Attenuation Variation Method:
Continuous
Mounting Facility Type And Quantity:
7 threaded hole
Frequency Range:
Between 5.000 gigahertz and 8.000 gigahertz
Mounting Thread Quantity:
32 per inch
Adjustment Device Type And Quantity:
1 knob
Mounting Facility Screw Thread Diameter:
0.138 inches
Impedance Rating In Ohms:
50.0 input-output
Terminal Type And Quantity:
2 connector, coaxial, female
Shelf Life:
N/a

## NSN 5985-01-028-6022

Variable Attenuator - Page 2 of 2



			ure:	

--

Demilitarization:

No

Fiig:

A223a0