NSN 5985-01-030-4123

Waveguide Switch - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5985-01-030-4123

Overall Length:
7.500 inches
Overall Height:
5.000 inches
Overall Width:
5.000 inches
Switch Type:
Transfer
Operating Tempurature Range:
-25.0/+150.0 degrees fahrenheit
Insertion Loss In Decibels:
0.05 single
Rf Power Handling Capability:
10.0 kilowatts average single
Minimum Crosstalk Rating In Decibels:
60.0 single
Actuator Operating Method:
Motor
Actuator Current Type And Rating In Amps:
2.0 dc
Actuator Voltage In Volts:
32.0
32.0 Switching Time:
Switching Time:
Switching Time: 100.0 milliseconds
Switching Time: 100.0 milliseconds Switch Return Mechanism Type:
Switching Time: 100.0 milliseconds Switch Return Mechanism Type: Latching
Switching Time: 100.0 milliseconds Switch Return Mechanism Type: Latching Waveguide Flange Type:
Switching Time: 100.0 milliseconds Switch Return Mechanism Type: Latching Waveguide Flange Type: Contact
Switching Time: 100.0 milliseconds Switch Return Mechanism Type: Latching Waveguide Flange Type: Contact Coupling Position Quantity:
Switching Time: 100.0 milliseconds Switch Return Mechanism Type: Latching Waveguide Flange Type: Contact Coupling Position Quantity: 5
Switching Time: 100.0 milliseconds Switch Return Mechanism Type: Latching Waveguide Flange Type: Contact Coupling Position Quantity: 5 Flange Connecting Facility And Quantity:
Switching Time: 100.0 milliseconds Switch Return Mechanism Type: Latching Waveguide Flange Type: Contact Coupling Position Quantity: 5 Flange Connecting Facility And Quantity: 4 threaded hole
Switching Time: 100.0 milliseconds Switch Return Mechanism Type: Latching Waveguide Flange Type: Contact Coupling Position Quantity: 5 Flange Connecting Facility And Quantity: 4 threaded hole Terminal Type And Quantity:
Switching Time: 100.0 milliseconds Switch Return Mechanism Type: Latching Waveguide Flange Type: Contact Coupling Position Quantity: 5 Flange Connecting Facility And Quantity: 4 threaded hole Terminal Type And Quantity: 5 rectangular flange
Switching Time: 100.0 milliseconds Switch Return Mechanism Type: Latching Waveguide Flange Type: Contact Coupling Position Quantity: 5 Flange Connecting Facility And Quantity: 4 threaded hole Terminal Type And Quantity: 5 rectangular flange Shelf Life:
Switching Time: 100.0 milliseconds Switch Return Mechanism Type: Latching Waveguide Flange Type: Contact Coupling Position Quantity: 5 Flange Connecting Facility And Quantity: 4 threaded hole Terminal Type And Quantity: 5 rectangular flange Shelf Life: N/a
Switching Time: 100.0 milliseconds Switch Return Mechanism Type: Latching Waveguide Flange Type: Contact Coupling Position Quantity: 5 Flange Connecting Facility And Quantity: 4 threaded hole Terminal Type And Quantity: 5 rectangular flange Shelf Life: N/a
Switching Time: 100.0 milliseconds Switch Return Mechanism Type: Latching Waveguide Flange Type: Contact Coupling Position Quantity: 5 Flange Connecting Facility And Quantity: 4 threaded hole Terminal Type And Quantity: 5 rectangular flange Shelf Life: N/a Unit Of Measure:
Switching Time: 100.0 milliseconds Switch Return Mechanism Type: Latching Waveguide Flange Type: Contact Coupling Position Quantity: 5 Flange Connecting Facility And Quantity: 4 threaded hole Terminal Type And Quantity: 5 rectangular flange Shelf Life: N/a Unit Of Measure: Demilitarization: