# NSN 5985-01-032-6620

Fixed Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-032-6620

# Application Design:

Transmission line

#### Body Style:

Rectangular, terminal/terminals on opposite surfaces

#### **Overall Length:**

1.562 inches

#### Center To Center Distance Between Mounting Facilities Parallel To Length:

0.656 inches

#### **Overall Height:**

1.250 inches

#### **Overall Width:**

0.625 inches

#### Mounting Hole/stud Quantity:

2

#### Body Length:

0.812 inches

# **Unthreaded Mounting Hole Diameter:**

0.101 inches

#### Voltage Standing Wave Ratio:

2.00

# Input Impedance Rating In Ohms:

50.0

# **Output Impedance Rating In Ohms:**

50.0

#### **Coaxial Connector Series Designation:**

Sma

# **Rf Signal Attenuation In Decibels:**

40.0

# Voltage Standing Wave Ratio Frequency Range:

+0.4/+12.4 gigahertz

# **Connection Type Per Function:**

Female input and female output

#### Mounting Method:

Unthreaded hole

# **Terminal Type And Quantity:**

4 connector

#### **Frequency Range:**

Between 0.400 gigahertz and 12.400 gigahertz

Shelf Life:

N/a

#### Unit Of Measure:

---

# NSN 5985-01-032-6620

Fixed Attenuator - Page 2 of 2

Demilitarization:

No

Fiig:

A20000

