NSN 5985-01-034-0616

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-034-0616

Cross Sectional Shape:

Internal, rectangular external, rectangular

Thread Class:

2b first flange single connection facility

Thread Direction:

Right-hand first flange single connection facility

Tubing Wall Construction Style:

Interlocked single tubing segment

Tubing Twist Type:

Twistable single tubing segment

Flange Quantity:

2

Flange Inside Width:

1.325 inches second flange

Flange Inside Height:

0.628 inches second flange

Flange Outside Width:

1.875 inches second flange

Flange Outside Height:

1.875 inches second flange

Flange Inside Diameter:

1.122 inches first flange

Flange Depth:

0.625 inches first flange

Flange Connecting Hole Diameter:

0.169 inches second flange single connection facility

Waveguide Outside Width:

1.470 inches

Thread Size:

0.164 inches first flange single connection facility

Waveguide Inside Width:

1.222 inches

Waveguide Inside Height:

0.497 inches

Waveguide Outside Height:

0.750 inches

Flange Connecting Facility And Quantity:

2 unthreaded hole second flange single connection facility

Flange Style:

Cover type second flange

Waveguide Length:

4.167 feet

NSN 5985-01-034-0616 Waveguide Assembly - Page 2 of 2



| Flexibility: |
|---|
| Flexible single tubing segment |
| Material: |
| Rubber single tubing jacket |
| Precious Material And Location: |
| Flange and tubing external surfaces silver |
| Precious Material: |
| Silver |
| Surface Treatment: |
| Silver all tubing segment and flange outside surfaces |
| Style Designator: |
| Straight type |
| Thread Series Designator: |
| Unc first flange single connection facility |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| Yes - demil/mli |
| Fiig: |

A073a0