NSN 5985-01-037-6317

Variable Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-037-6317

Application Design:
Transmission line
Body Style:
Coaxial type
Overall Length:
6.150 inches
Overall Height:
1.380 inches
Overall Width:
1.260 inches
Scale Linearity:
Linear
Scale Division Quantity:
69
Operating Tempurature Range:
-0.0/+85.0 degrees celsius
Voltage Standing Wave Ratio:
1.30
Coaxial Connector Series Designation:
Sma
Power Rating:
3.0 watts average and 1.0 kilowatts peak
Insertion Loss At Minimum Attenuation In Maximum Decibels:
0.2
Overall Attenuation Range In Decibels:
+0.0/+69.0
Attenuation Variation Method:
Stepped
Step Position Quantity:
69
Attenuation Per Step In Decibels:
1.0
Mounting Facility Type And Quantity:
2 connector
Frequency Range:
Between 0.000 hertz and 2.000 gigahertz
Overall Attenuation Accuracy In Decibels:
-0.20/+0.20
Adjustment Device Type And Quantity:
1 knob
Impedance Rating In Ohms:

50.0 input-output

NSN 5985-01-037-6317

Variable Attenuator - Page 2 of 2



Terminal Type Ar	nd Quantity:
------------------	--------------

2 connector, coaxial, female

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A223a0