NSN 5985-01-038-5516

Fixed Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-038-5516 **Application Design:** Transmission line **Body Material:** Any acceptable **Body Style:** Err-090 **Overall Length:** 1.250 inches **Overall Diameter:** 0.375 inches **Operating Tempurature Range:** -29.0/+52.0 degrees celsius **Voltage Standing Wave Ratio:** 1.25 Input Impedance Rating In Ohms: 50.0 **Output Impedance Rating In Ohms:** 50.0 **Coaxial Connector Series Designation:** Sma **Power Rating:** 2.0 watts average and 200.0 watts peak **Rf Signal Attenuation In Decibels:** 3.0 **Voltage Standing Wave Ratio Frequency Range:** +1.100/+1.465 gigahertz **Attenuation Accuracy In Decibels:** -0.30/+0.30 **Connection Type Per Function:** Female output and male input **Mounting Method:** Connector **Terminal Type And Quantity:** 2 connector Frequency Range: Between 1.100 gigahertz and 1.465 gigahertz Shelf Life: N/a **Unit Of Measure:**

Demilitarization: No

NSN 5985-01-038-5516

Fixed Attenuator - Page 2 of 2



Fiig:

A20000