# NSN 5985-01-043-3135

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-043-3135

#### **Cross Sectional Shape:**

Internal, rectangular external, rectangular

**Thread Class:** 

2b first flange all connection facilities

**Thread Direction:** 

Right-hand first flange all connection facilities

**Tubing Wall Construction Style:** 

Seamless single tubing segment

Flange Quantity:

2

#### Flange Connecting Hole Diameter:

0.171 inches second flange all connection facilities and 0.174 inches second flange all connection facilities

#### **Voltage Standing Wave Ratio:**

1.12

#### **Insertion Loss In Decibels:**

0.04

#### **Maximum Operating Pressure:**

15.0 pounds per square inch gage

**Thread Size:** 

0.164 inches first flange all connection facilities

# Flange Connecting Facility And Quantity:

8 unthreaded hole second flange all connection facilities

#### Waveguide First Leg Length:

1.620 inches

### Waveguide Second Leg Length:

10.000 inches

# Waveguide Third Leg Length:

1.220 inches

#### Waveguide Fourth Leg Length:

2.250 inches

#### Flexibility:

Flexible single tubing segment

#### Material:

Copper alloy all tubing segment and flange

#### **Precious Material And Location:**

Internal surfaces silver

#### **Precious Material:**

Silver

# **Surface Treatment:**

Silver all tubing segment and flange inside surfaces

# **Style Designator:**

Three bend type

# NSN 5985-01-043-3135

Waveguide Assembly - Page 2 of 2



Thread	<b>Series</b>	Design	ator

Unc first flange all connection facilities

# **Fsc Application Data:**

Antennas, waveguides and related equip.

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A073a0