# NSN 5985-01-043-4988

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-043-4988

## **Cross Sectional Shape:**

Internal, rectangular external, rectangular

## **Thread Class:**

2b second flange single connection facility

## **Thread Direction:**

Right-hand second flange single connection facility

#### Bend Angle In Deg:

45.0 all bends e-plane

#### **Tubing Wall Construction Style:**

Seamless all tubing segment

## Flange Quantity:

2

#### Flange Inside Width:

0.900 inches all flanges

#### Flange Inside Height:

## 0.400 inches all flanges

Flange Outside Width:

2.094 inches all flanges

## Flange Outside Height:

1.594 inches all flanges

#### Flange Depth:

0.225 inches all flanges

## Flange Connecting Hole Diameter:

0.173 inches first flange single connection facility

## Maximum Operating Pressure:

15.0 pounds per square inch gage

#### Waveguide Outside Width:

2.094 inches

## Thread Size:

0.112 inches second flange single connection facility

#### Waveguide Inside Width:

0.900 inches

#### Waveguide Inside Height:

0.400 inches

#### Waveguide Outside Height:

1.594 inches

## Flange Connecting Facility And Quantity:

6 unthreaded hole first flange single connection facility

#### Flange Style:

Contact type all flanges

#### Waveguide Length:

5.130 inches

# NSN 5985-01-043-4988

Waveguide Assembly - Page 2 of 2



## Waveguide Center To Center Distance:

2.250 inches

## Flexibility:

Flexible all tubing segment

## Material:

Beryllium second flange or copper alloy 172 second flange

## Surface Treatment:

Chromate all tubing segment and flange all surfaces or silver all tubing segment and flange all surfaces

#### Style Designator:

Offset bend type

## **Thread Series Designator:**

Unc second flange single connection facility

#### Shelf Life:

N/a

#### Unit Of Measure:

--

#### Demilitarization:

Yes - demil/mli

## Fiig:

A073a0