NSN 5985-01-050-4892

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-050-4892

Cross Sectional Shape:

Internal, rectangular external, rectangular

Bend Angle In Deg:

90.0 single bend e-plane

Tubing Wall Construction Style:

Seamless single tubing segment

Flange Quantity:

2

Flange Inside Width:

1.253 inches second flange

Flange Inside Height:

0.628 inches second flange

Flange Outside Width:

1.875 inches second flange

Flange Outside Height:

1.875 inches second flange

Flange Depth:

0.625 inches first flange

Flange Connecting Hole Diameter:

0.169 inches all flanges all connection facilities

Voltage Standing Wave Ratio:

1.10

Maximum Operating Pressure:

15.0 pounds per square inch gage

Waveguide Outside Width:

1.250 inches

Waveguide Inside Width:

1.122 inches

Waveguide Inside Height:

0.497 inches

Waveguide Outside Height:

0.625 inches

Waveguide Longer Offset Distance:

2.060 inches

Flange Connecting Facility And Quantity:

4 unthreaded hole single flange second connection facility

Flange Style:

Choke type first flange

Waveguide Offset Distance:

2.060 inches

Flexibility:

Rigid single tubing segment

NSN 5985-01-050-4892

Waveguide Assembly - Page 2 of 2



| Sty | le | De | sic | nr | ato | r: |
|-----|----|----|-----|-----|-----|----|
| ~, | | | • | y., | u | |

Bend type

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A073a0