NSN 5985-01-052-3465

Fixed Attenuator - Page 1 of 2

Application Design: Transmission line



View Online at https://aerobasegroup.com/nsn/5985-01-052-3465

Body Material:							
Any acceptable							
Body Style:							
1b round, terminal/terminals in opposite surface							
Terminal Material:							
Steel, stainless							
Terminal Surface Treatment:							
Any acceptable							
Body Surface Treatment:							
Any acceptable							
Overall Length:							
0.860 inches							
Overall Diameter:							
0.280 inches							
Operating Tempurature Range:							
-55.0/+125.0 degrees celsius							
Voltage Standing Wave Ratio:							
1.25							
Input Impedance Rating In Ohms:							
50.0							
Output Impedance Rating In Ohms:							
50.0							
Coaxial Connector Series Designation:							
Sma							
Power Rating:							
2.0 watts average							
Rf Signal Attenuation In Decibels:							
4.0							
Voltage Standing Wave Ratio Frequency Range:							
+0.0/+18.0 gigahertz							
Attenuation Accuracy In Decibels:							
-0.30/+0.30							
Mounting Method:							
Connector							
Terminal Type And Quantity:							
2 connector							
Frequency Range:							
Between 0.000 hertz and 18.000 gigahertz							

Fsc Application Data:

Antennas, waveguides, and related equipment

NSN 5985-01-052-3465

Fixed Attenuator - Page 2 of 2



_					
•	n	0 1	•	12	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A20000