## NSN 5985-01-053-6579

Fixed Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-053-6579 **Application Design:** Waveguide **Body Material:** Steel, corrosion resisting **Body Style:** Rectangular, terminal/terminals on opposite surfaces **Body Surface Treatment:** Gold plated **Overall Length:** 1.375 inches **Overall Height:** Between 0.302 inches and 0.322 inches **Overall Width:** Between 0.302 inches and 0.322 inches **Operating Tempurature Range:** -54.0/+100.0 degrees celsius Input Impedance Rating In Ohms: 50.0 **Output Impedance Rating In Ohms:** 50.0 **Coaxial Connector Series Designation:** Sma **Rf Signal Attenuation In Decibels:** 2.5 **Attenuation Accuracy In Decibels:** -0.30/+0.30 **Connection Type Per Function:** Female input and male output **Mounting Method:** Plug-in **Terminal Type And Quantity:** 2 connector Frequency Range: Between 0.000 hertz and 7.000 gigahertz **Fsc Application Data:** Electronic countermeasure counter-countermeasure and quick reaction capability equipement Shelf Life: N/a **Unit Of Measure: Demilitarization:** 

Yes - demil/mli

## NSN 5985-01-053-6579

Fixed Attenuator - Page 2 of 2



Fiig:

A20000